

# PRO-CIDE

## ALL PURPOSE

**KILLS:** Flies, Sandflies, Mosquitoes, Gnats, Wasps, Small Flying Moths, Fruit Flies, Indian Meal Moths, Almond Moths, Foreign Grain Beetles, Mud Dauber, Chocolate Moths, Carpet Beetles, Drug Store Beetles, Fleas, Roaches, Spiders, Waterbugs, Ants, Silverfish, and Crickets

**FOR USE IN AND AROUND:** Milk Rooms, Homes, Horse Stables, Hog Parlors, Feed Lots, Livestock Trailers, Boats, Hospitals, Resorts, Schools, Restaurants, Motels, Hotels, Dairies, Chicken Houses, Food Storage Warehouses, Kennels, Horse Trailers, Food and Bottling Plants, Feed Mills, Warehouses, Supermarkets, and Canneries

**ACTIVE INGREDIENTS:**

Pyrethrins .....	0.50%
Piperonyl Butoxide Technical* .....	4.00%
**OTHER INGREDIENTS .....	95.50%
	100.00%

\*Equivalent to 3.2% (butylcarbityl)(6-propylpiperonyl) ether and 0.8% of other related compounds  
 \*\*Contains Petroleum Distillates

**KEEP OUT OF REACH OF CHILDREN  
 CAUTION**

See Side Panel for Additional Precautionary Statements  
 EPA Reg. No. 5602-195 EPA Est. No. 9143-TX-1  
 Net Weight: 15 Oz.



**PYRETHRUM**

**PRECAUTIONARY STATEMENTS**  
 Hazards to Humans & Domestic Animals

**CAUTION**

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. In hospitals, patients should be removed prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation. Cover or remove food before treatment. All food processing surfaces, utensils, benches, shelving, etc. Do not apply when food processing is in operation. Remove pets, birds, and cover fish aquariums before spraying.

**PHYSICAL OR CHEMICAL HAZARDS**

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130F may cause bursting.

FIRST AID		STORAGE AND DISPOSAL
<b>IF SWALLOWED:</b>	Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.	Do not contaminate water, food, or feed by storage or disposal.  STORAGE: Do not store near heat or open flame.  DISPOSAL: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.
<b>IF INHALED:</b>	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.	
<b>IF ON SKIN OR CLOTHING:</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
<b>IF IN EYES:</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
<b>NOTE TO PHYSICIAN:</b> Contains petroleum distillate - vomiting may cause aspiration pneumonia.		
<b>HOT LINE NUMBER:</b> Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800--535-5053 for emergency medical treatment information.		

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

**Flying Insects: Flies, Sandflies, Mosquitoes, Gnats, Wasps, Small Flying Moths, Fruit Flies, Indian Meal Moths, Almond Moths and Foreign Grain Beetles:** Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

Calculate the cubic feet of the area to be treated. Close all doors and windows. Point nozzle upward; direct the aerosol mist to all parts of the room, especially around windows and other light sources which attract these insects. Apply spray continuously at a rate of one second per 1000 cubic feet of space. Keep area closed for fifteen minutes after each treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary. Area treatments can be made when animals are in lounging barns or holding pens.

**Out of Doors:** For temporary protection from mosquitoes and flies, spray along ground and around bushes and trees. Do not spray ornamental shrubbery. Frequent repeated applications may be necessary.

**Mud Dauber and Wasp Nests:** Spray aerosol directly on insects and their nests from approximately 2 feet distance. Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat treatments as necessary.

**Chocolate Moths, Carpet Beetles, Drug Store Beetles in Exposed Adult Larvae Stages:** Contact as many insects as possible when treating infested areas such as cracks, crevices, packaged store products, machinery, dark secluded areas. Spray 10 to 20 seconds per 100 square feet of floor space. Repeat weekly or as insects appear.

**Fleas in Buildings:** Close windows and doors, hold aerosol 36" above floor and direct fog toward floor and lower walls at a rate of 10 seconds per 100 square feet, making sure that all floors, sofa, chair surfaces are contacted. Remove and destroy pet's old bedding. Thoroughly treat area and allow to dry before replacing. Repeat weekly or as insects appear.

**Roaches, Spiders, Waterbugs, Ants, Silverfish, Crickets:** Hold aerosol close to cracks and fog directly into them, contacting as many insects as possible. Apply freely to all possible hiding places behind baseboards, sinks, cabinets, coffee makers, meter boxes, manholes. Repeat treatment as necessary.

Manufactured by:

